

## CODE COMPLIANCE

LOT D:

PROPOSED ZONING: RS3

REQUIRED SITE AREA: 1,115.00 sqm. OR 12,001.76 sqft. PROPOSED SITE AREA: 1,639.25 sqm. OR 17,644.69 sqft.

REQUIRED SITE WIDTH: 24.40m OR 80.05 ft. PROPOSED SITE WIDTH: 26.07m OR 85.53 ft.

REQUIRED SITE DEPTH: (SHALL NOT EXCEED 4 TIMES THE SITE WIDTH) = 104.28m OR 342.13 ft. PROPOSED SITE DEPTH: 66.83m OR 219.26 ft.

SITE COVERAGE: MAXIMUM 30.00% OF SITE (491.78 sqm. OR 1,613.44 sqft.)

FLOOR AREA RATIO: MAXIMUM 35.00% OF SITE (573.74 sqm. OR 1,882.34 sqft.)

SETBACKS: FRONT: MINIMUM 9.10m OR 29.86 ft. REAR: MINIMUM 9.10m OR 29.86 ft. RIGHT: MINIMUM 3.92m OR 12.86 ft. LEFT: MINIMUM 2.62m OR 8.60 ft.

COMBINED SIDE YARD: (25% OF LOT WIDTH = 6.54m) PROPOSED = 6.54m

BUILDING HEIGHT: MAXIMUM 7.62m OR 25.00 ft.

NUMBER OF STOREYS: MAXIMUM 2 PLUS BASEMENT

HIGHEST BUILDING FACE ENVELOPE: MAXIMUM 6.70m OR 21.98 Pt.

LOT C:

PROPOSED ZONING: RS3

REQUIRED SITE AREA: 1,115.00 sqm. OR 12,001.76 sqft. PROPOSED SITE AREA: 1,755.45 sqm. OR 18,895.53 sqft.

REQUIRED SITE WIDTH: 24.40m OR 80.05 ft. PROPOSED SITE WIDTH: 24.4Im OR 80.09 ft.

REQUIRED SITE DEPTH: (SHALL NOT EXCEED 4 TIMES THE SITE WIDTH) = 97.64m OR 320.34 ft. PROPOSED SITE DEPTH: 75.30m OR 247.05 ft.

SITE COVERAGE: MAXIMUM 30.00% OF SITE (526.64 sqm. OR 1,727.81 sqft.)

FLOOR AREA RATIO: MAXIMUM 35.00% OF SITE (614.41 sqm. OR 2,015.77 sqft.)

SETBACKS: FRONT: MINIMUM 9.10m OR 29.86 ft. REAR: MINIMUM 9.10m OR 29.86 ft. RIGHT: MINIMUM 3.00m OR 9.84 ft. LEFT: MINIMUM 3.10m OR 10.17 ft.

COMBINED SIDE YARD: (25% OF LOT WIDTH = 6.10m) PROPOSED = 6.10m

BUILDING HEIGHT: MAXIMUM 7.62m OR 25.00 ft.

NUMBER OF STOREYS: MAXIMUM 2 PLUS BASEMENT

HIGHEST BUILDING FACE ENVELOPE: MAXIMUM 6.70m OR 21.98 ft.

LOT B:

PROPOSED ZONING: RS3

REQUIRED SITE AREA: 1,115.00 sqm. OR 12,001.76 sqft. PROPOSED SITE AREA: 2,378.70 sqm. OR 25,604.16 sqft.

REQUIRED SITE WIDTH: 24.40m OR 80.05 ft.

PROPOSED SITE WIDTH: 29.00m OR 95.14 ft.

REQUIRED SITE DEPTH: (SHALL NOT EXCEED 4 TIMES THE SITE WIDTH) = 116.00m OR 380.58 ft. PROPOSED SITE DEPTH: 88.46m OR 290.22 ft.

SITE COVERAGE: MAXIMUM 30.00% OF SITE (713.61 sqm. OR 7,681.23 sqft.)

FLOOR AREA RATIO: MAXIMUM 35.00% OF SITE (832.55 sqm. OR 8,961.44 sqft.)

SETBACKS: FRONT: MINIMUM 9.10m OR 29.86 ft. REAR: MINIMUM 9.10m OR 29.86 ft. RIGHT: MINIMUM 4.25m OR 13.94 ft. LEFT: MINIMUM 3.00m OR 9.84 ft.

COMBINED SIDE YARD: (25% OF LOT WIDTH = 7.25m) PROPOSED = 7.25m

BUILDING HEIGHT: MAXIMUM 7.62m OR 25.00 ft.

NUMBER OF STOREYS: MAXIMUM 2 PLUS BASEMENT

HIGHEST BUILDING FACE ENVELOPE: MAXIMUM 6.70m OR 21.98 ft.

LOT A:

PROPOSED ZONING: RS3

REQUIRED SITE AREA: 1,115.00 sqm. OR 12,001.76 sqft.

PROPOSED SITE AREA: 2,207.24 sqm. OR 23,758.54 sqft.

REQUIRED SITE WIDTH: 24.40m OR 80.05 ft. PROPOSED SITE WIDTH: 24.40m OR 80.05 ft.

REQUIRED SITE DEPTH: (SHALL NOT EXCEED 4 TIMES THE SITE WIDTH) = 97.60m OR 320.21 ft. PROPOSED SITE DEPTH: 90.62m OR 297.31 ft.

SITE COVERAGE: MAXIMUM 30.00% OF SITE (662.172 sqm. OR 7,127.56 sqft.)

FLOOR AREA RATIO: MAXIMUM 35.00% OF SITE (772.534 sqm. OR 8,315.49 sqft.)


SETBACKS: FRONT: MINIMUM 9.10m OR 29.86 ft. REAR: MINIMUM 9.10m OR 29.86 ft. RIGHT: MINIMUM 3.00m OR 9.84 ft. LEFT: MINIMUM 3.10m OR 10.17 ft.

COMBINED SIDE YARD: (25% OF LOT WIDTH = 6.10m) PROPOSED = 6.10m

BUILDING HEIGHT: MAXIMUM 7.62m OR 25.00 ft.

NUMBER OF STOREYS: MAXIMUM 2 PLUS BASEMENT

HIGHEST BUILDING FACE ENVELOPE: MAXIMUM 6.70m OR 21.98 ft.



## CODE COMPLIANCE LOT D: PROPOSED ZONING: RS3 REQUIRED SITE AREA: 1,115.00 sqm. OR 12,001.76 sqft. PROPOSED SITE AREA: 1,639.25 sqm. OR 17,644.69 sqft. REQUIRED SITE WIDTH: 24.40m OR 80.05 ft. PROPOSED SITE WIDTH: 26.07m OR 85.53 ft. REQUIRED SITE DEPTH: (SHALL NOT EXCEED 4 TIMES THE SITE WIDTH) = 104.28m OR 342.13 ft. PROPOSED SITE DEPTH: 66.83m OR 219.26 ft. SITE COVERAGE: MAXIMUM 30.00% OF SITE (491.78 sqm. OR 1,613.44 sqft.) FLOOR AREA RATIO: MAXIMUM 35.00% OF SITE (573.74 sqm. OR 1,882.34 sqft.) SETBACKS: FRONT: MINIMUM 9.10m OR 29.86 ft. REAR: MINIMUM 9.10m OR 29.86 ft. RIGHT: MINIMUM 3.92m OR 12.86 ft. LEFT: MINIMUM 2.62m OR 8.60 ft. COMBINED SIDE YARD: (25% OF LOT WIDTH = 6.54m) PROPOSED = 6.54m BUILDING HEIGHT: MAXIMUM 7.62m OR 25.00 ft. NUMBER OF STOREYS: MAXIMUM 2 PLUS BASEMENT HIGHEST BUILDING FACE ENVELOPE: MAXIMUM 6.70m OR 21.98 ft. LOT C: PROPOSED ZONING: RS3 REQUIRED SITE AREA: 1,115.00 sqm. OR 12,001.76 sqft. PROPOSED SITE AREA: 1,755.45 sqm. OR 18,895.53 sqft. 1,639.245 sqm REQUIRED SITE WIDTH: 24.40m OR 80.05 ft. PROPOSED SITE WIDTH: 24.4Im OR 80.09 ft. REQUIRED SITE DEPTH: (SHALL NOT EXCEED 4 TIMES THE SITE WIDTH) = 97.64m OR 320.34 ft. PROPOSED SITE DEPTH: 75.30m OR 247.05 ft. SITE COVERAGE: MAXIMUM 30.00% OF SITE (526.64 sqm. OR 1,727.81 sqft.) FLOOR AREA RATIO: MAXIMUM 35.00% OF SITE (614.41 sqm. OR 2,015.77 sqft.) SETBACKS: FRONT: MINIMUM 9.10m OR 29.86 ft. REAR: MINIMUM 9.10m OR 29.86 ft. RIGHT: MINIMUM 3.00m OR 9.84 ft. 1.0 DIA DECIDUOUS EL. 373.6 LEFT: MINIMUM 3.10m OR 10.17 ft. COMBINED SIDE YARD: (25% OF LOT WIDTH = 6.10m) PROPOSED = 6.10m BUILDING HEIGHT: MAXIMUM 7.62m OR 25.00 ft. NUMBER OF STOREYS: MAXIMUM 2 PLUS BASEMENT LOT C 1,755.452 sqm HIGHEST BUILDING FACE ENVELOPE: MAXIMUM 6.70m OR 21.98 ft. LOT B: PROPOSED ZONING: RS3 REQUIRED SITE AREA: 1,115.00 sqm. OR 12,001.76 sqft. PROPOSED SITE AREA: 2,378.70 sqm. OR 25,604.16 sqft. REQUIRED SITE WIDTH: 24.40m OR 80.05 ft. PROPOSED SITE WIDTH: 29.00m OR 95.14 ft. REQUIRED SITE DEPTH: (SHALL NOT EXCEED 4 TIMES THE SITE WIDTH) = 116.00m OR 380.58 ft PROPOSED SITE DEPTH: 88.46m OR 290.22 ft. SITE COVERAGE: MAXIMUM 30.00% OF SITE (713.61 sqm. OR 7,681.23 sqft.) FLOOR AREA RATIO: MAXIMUM 35.00% OF SITE (832.55 sqm. OR 8,961.44 sqft.) SETBACKS: FRONT: MINIMUM 9.10m OR 29.86 ft. REAR: MINIMUM 9.10m OR 29.86 ft. RIGHT: MINIMUM 4.25m OR 13.94 ft. LEFT: MINIMUM 3.00m OR 9.84 ft. 09-08-17 18-10-17 ISSUED FOR REVIEW COMBINED SIDE YARD: (25% OF LOT WIDTH = 7.25m) PROPOSED = 7.25m ISSUED FOR REVIEW 13-02-18 BUILDING HEIGHT: MAXIMUM 7.62m OR 25.00 ft. 2,378.704 sqm NUMBER OF STOREYS: MAXIMUM 2 PLUS BASEMENT 203-45425 LUCKAKUCK MAY HIGHEST BUILDING FACE ENVELOPE: MAXIMUM 6.70m OR 21.98 ft. CHILLIMACK, B.C. V2R 2T7 Phone: 604-858-0031 info@jcrdesign.ca @ COPYRIGHT RESERVED: LOT A: drawing is property of JCR Design LTD & May not be PROPOSED ZONING: RS3 COPIED WITHOUT PERMISSION REQUIRED SITE AREA: 1,115.00 sqm. OR 12,001.76 sqft. PROPOSED SITE AREA: 2,207.24 sqm. OR 23,758.54 sqft. Project Name and Address HIGHLAND DRIVE REQUIRED SITE WIDTH: 24.40m OR 80.05 ft. PROPOSED SITE WIDTH: 24.40m OR 80.05 ft. SUBDIVISION REQUIRED SITE DEPTH: (SHALL NOT EXCEED 4 TIMES THE SITE WIDTH) = 97.60m OR 320.21 ft. WEST VANCOUVER, B.C. PROPOSED SITE DEPTH: 90.62m OR 297.31 ft. Drawing Title SITE COVERAGE: MAXIMUM 30.00% OF SITE (662.172 sqm. OR 7,127.56 sqft.) 2,207.241 sqm COMPREHENSIVE FLOOR AREA RATIO: MAXIMUM 35.00% OF SITE (772.534 sqm. OR 8,315.49 sqft.) SETBACKS: FRONT: MINIMUM 9.10m OR 29.86 ft. REAR: MINIMUM 9.10m OR 29.86 ft. SITE PLAN RIGHT: MINIMUM 3.00m OR 9.84 ft. LEFT: MINIMUM 3.10m OR 10.17 ft. COMBINED SIDE YARD: (25% OF LOT WIDTH = 6.10m) PROPOSED = 6.10m T. DEMERS

BUILDING HEIGHT: MAXIMUM 7.62m OR 25.00 ft.

NUMBER OF STOREYS: MAXIMUM 2 PLUS BASEMENT

HIGHEST BUILDING FACE ENVELOPE: MAXIMUM 6.70m OR 21.98 ft.

PROJECT#

CHECKED

9 AUGUST 2017

## CODE COMPLIANCE

LOT D:

PROPOSED ZONING: RS3

REQUIRED SITE AREA: 1,115.00 sqm. OR 12,001.76 sqft. PROPOSED SITE AREA: 1,639.25 sqm. OR 17,644.69 sqft.

REQUIRED SITE WIDTH: 24.40m OR 80.05 ft.

PROPOSED SITE WIDTH: 24.40m OR 85.53 ft.

REQUIRED SITE DEPTH: (SHALL NOT EXCEED 4 TIMES THE SITE WIDTH) = 104.28m OR 342.13 ft. PROPOSED SITE DEPTH: 66.83m OR 219.26 ft.

| SITE COVERAGE: MAXIMUM 30.00% OF SITE (491.78 sqm. OR 1,613.44 sqft.)

FLOOR AREA RATIO: MAXIMUM 35.00% OF SITE (573.74 sqm. OR 1,882.34 sqft.)

SETBACKS: FRONT: MINIMUM 9.10m OR 29.86 ft.
REAR: MINIMUM 9.10m OR 29.86 ft.
RIGHT: MINIMUM 3.92m OR 12.86 ft.
LEFT: MINIMUM 2.62m OR 8.60 ft.

COMBINED SIDE YARD: (25% OF LOT WIDTH = 6.54m) PROPOSED = 6.54m

BUILDING HEIGHT: MAXIMUM 7.62m OR 25.00 ft.

NUMBER OF STOREYS: MAXIMUM 2 PLUS BASEMENT

HIGHEST BUILDING FACE ENVELOPE: MAXIMUM 6.70m OR 21.98 ft.

LOT C

PROPOSED ZONING: RS3

REQUIRED SITE AREA: 1,115.00 sqm. OR 12,001.76 sqft. PROPOSED SITE AREA: 1,755.45 sqm. OR 18,895.53 sqft.

REQUIRED SITE WIDTH: 24.40m OR 80.05 ft.

PROPOSED SITE WIDTH: 24.4Im OR 80.09 ft.

REQUIRED SITE DEPTH: (SHALL NOT EXCEED 4 TIMES THE SITE WIDTH) = 97.64m OR 320.34 ft. PROPOSED SITE DEPTH: 75.30m OR 247.05 ft.

SITE COVERAGE: MAXIMUM 30.00% OF SITE (526.64 sqm. OR 1,727.81 sqft.)

| FLOOR AREA RATIO: MAXIMUM 35.00% OF SITE (614.41 sqm. OR 2,015.77 sqft.)

SETBACKS: FRONT: MINIMUM 9.10m OR 29.86 ft.
REAR: MINIMUM 9.10m OR 29.86 ft.
RIGHT: MINIMUM 3.00m OR 9.84 ft.
LEFT: MINIMUM 3.10m OR 10.17 ft.

COMBINED SIDE YARD: (25% OF LOT WIDTH = 6.10m) PROPOSED = 6.10m

BUILDING HEIGHT: MAXIMUM 7.62m OR 25.00 ft.

NUMBER OF STOREYS: MAXIMUM 2 PLUS BASEMENT

HIGHEST BUILDING FACE ENVELOPE: MAXIMUM 6.70m OR 21.98 ft.

LOT B:

PROPOSED ZONING: RS3

REQUIRED SITE AREA: 1,115.00 sqm. OR 12,001.76 sqft.

PROPOSED SITE AREA: 2,378.70 sqm. OR 25,604.16 sqft.

REQUIRED SITE WIDTH: 24.40m OR 80.05 ft.

PROPOSED SITE WIDTH: 29.00m OR 95.14 ft.

| | Required site depth: (shall not exceed 4 times the site width) = 116.00m or 380.58 ft

PROPOSED SITE DEPTH: 88.46m OR 290.22 ft.

SITE COVERAGE: MAXIMUM 30.00% OF SITE (713.61 sqm. OR 7,681.23 sqft.)

FLOOR AREA RATIO: MAXIMUM 35.00% OF SITE (832.55 sqm. OR 8,961.44 sqft.)

SETBACKS: FRONT: MINIMUM 9.10m OR 29.86 ft.
REAR: MINIMUM 9.10m OR 29.86 ft.
RIGHT: MINIMUM 4.25m OR 13.94 ft.

COMBINED SIDE YARD: (25% OF LOT WIDTH = 7.25m) PROPOSED = 7.25m

BUILDING HEIGHT: MAXIMUM 7.62m OR 25.00 ft.

NUMBER OF STOREYS: MAXIMUM 2 PLUS BASEMENT

HIGHEST BUILDING FACE ENVELOPE: MAXIMUM 6.70m OR 21.98 ft.

LEFT: MINIMUM 3.00m OR 9.84 ft.

LOT A:

PROPOSED ZONING: RS3

REQUIRED SITE AREA: 1,115.00 sqm. OR 12,001.76 sqft. PROPOSED SITE AREA: 2,207.24 sqm. OR 23,758.54 sqft.

REQUIRED SITE WIDTH: 24.40m OR 80.05 ft. PROPOSED SITE WIDTH: 24.40m OR 80.05 ft.

REQUIRED SITE DEPTH: (SHALL NOT EXCEED 4 TIMES THE SITE WIDTH) = 97.60m OR 320.21 ft. PROPOSED SITE DEPTH: 90.62m OR 297.31 ft.

SITE COVERAGE: MAXIMUM 30.00% OF SITE (662.172 sqm. OR 7,127.56 sqft.)

FLOOR AREA RATIO: MAXIMUM 35.00% OF SITE (772.534 sqm. OR 8,315.49 sqft.)

SETBACKS: FRONT: MINIMUM 9.10m OR 29.86 ft.
REAR: MINIMUM 9.10m OR 29.86 ft.
RIGHT: MINIMUM 3.00m OR 9.84 ft.
LEFT: MINIMUM 3.10m OR 10.17 ft.

COMBINED SIDE YARD: (25% OF LOT WIDTH = 6.10m) PROPOSED = 6.10m

BUILDING HEIGHT: MAXIMUM 7.62m OR 25.00 ft.

NUMBER OF STOREYS: MAXIMUM 2 PLUS BASEMENT

HIGHEST BUILDING FACE ENVELOPE: MAXIMUM 6.70m OR 21.98 ft.

